



SCI - LS : 6

**Austin Moore Hip Prosthesis:-
Excel, Standard & Narrow Stem**

Diameter	Standard Stem (Non-Sterile)	Standard Stem (Sterile)	Narrow Stem (Non-Sterile)	Narrow Stem (Sterile)
	Cat No.	Cat No.	Cat No.	Cat No.
38 mm	SCI-900-38	SCI-901-38	SCI-902-38	SCI-903-38
39 mm	SCI-900-39	SCI-901-39	SCI-902-39	SCI-903-39
40 mm	SCI-900-40	SCI-901-40	SCI-902-40	SCI-903-40
41 mm	SCI-900-41	SCI-901-41	SCI-902-41	SCI-903-41
42 mm	SCI-900-42	SCI-901-42	SCI-902-42	SCI-903-42
43 mm	SCI-900-43	SCI-901-43	SCI-902-43	SCI-903-43
44 mm	SCI-900-44	SCI-901-44	SCI-902-44	SCI-903-44
45 mm	SCI-900-45	SCI-901-45	SCI-902-45	SCI-903-45
46 mm	SCI-900-46	SCI-901-46	SCI-902-46	SCI-903-46
47 mm	SCI-900-47	SCI-901-47	SCI-902-47	SCI-903-47
48 mm	SCI-900-48	SCI-901-48	SCI-902-48	SCI-903-48
49 mm	SCI-900-49	SCI-901-49	SCI-902-49	SCI-903-49
50 mm	SCI-900-50	SCI-901-50	SCI-902-50	SCI-903-50
51 mm	SCI-900-51	SCI-901-51	SCI-902-51	SCI-903-51
52 mm	SCI-900-52	SCI-901-52	SCI-902-52	SCI-903-52
53 mm	SCI-900-53	SCI-901-53	SCI-902-53	SCI-903-53
54 mm	SCI-900-54	SCI-901-54	SCI-902-54	SCI-903-54
55 mm	SCI-900-55	SCI-901-55	SCI-902-55	SCI-903-55
56 mm	SCI-900-56	SCI-901-56	SCI-902-56	SCI-903-56
57 mm	SCI-900-57	SCI-901-57	SCI-902-57	SCI-903-57
58 mm	SCI-900-58	SCI-901-58	SCI-902-58	SCI-903-58



SCI - LS : 7

**Austin Moore Hip Prosthesis:-
Excel - Broad Stem**



SCI - LS : 8

**Austin Moore Hip Prosthesis:-
Excel - Extra Long Stem
Stem Length - 300 mm**

Non Sterile	Dia.	Sterile
Cat No.		Cat. No.
SCI-905-37	37 mm	SCI-906-37
SCI-905-38	38 mm	SCI-906-38
SCI-905-39	39 mm	SCI-906-39
SCI-905-40	40 mm	SCI-906-40
SCI-905-41	41 mm	SCI-906-41
SCI-905-42	42 mm	SCI-906-42
SCI-905-43	43 mm	SCI-906-43
SCI-905-44	44 mm	SCI-906-44
SCI-905-45	45 mm	SCI-906-45
SCI-905-46	46 mm	SCI-906-46
SCI-905-47	47 mm	SCI-906-47
SCI-905-48	48 mm	SCI-906-48
SCI-905-49	49 mm	SCI-906-49
SCI-905-50	50 mm	SCI-906-50
SCI-905-51	51 mm	SCI-906-51
SCI-905-52	52 mm	SCI-906-52
SCI-905-53	53 mm	SCI-906-53
SCI-905-54	54 mm	SCI-906-54
SCI-905-55	55 mm	SCI-906-55
SCI-905-56	56 mm	SCI-906-56
SCI-905-57	57 mm	SCI-906-57
SCI-905-58	58 mm	SCI-906-58

Cat No.	Dia.
SCI-907-37	37 mm
SCI-907-38	38 mm
SCI-907-39	39 mm
SCI-907-40	40 mm
SCI-907-41	41 mm
SCI-907-42	42 mm
SCI-907-43	43 mm
SCI-907-44	44 mm
SCI-907-45	45 mm
SCI-907-46	46 mm
SCI-907-47	47 mm
SCI-907-48	48 mm
SCI-907-49	49 mm
SCI-907-50	50 mm
SCI-907-51	51 mm
SCI-907-52	52 mm
SCI-907-53	53 mm
SCI-907-54	54 mm
SCI-907-55	55 mm
SCI-907-56	56 mm
SCI-907-57	57 mm
SCI-907-58	58 mm



SCI - LS : 9

**Thompson Hip Prosthesis - Excel
Standard & Narrow Stem**

Diameter	Standard Stem (Non-Sterile)	Standard Stem (Sterile)	Narrow Stem (Non-Sterile)	Narrow Stem (Sterile)
	Cat No.	Cat No.	Cat No.	Cat No.
37 mm	SCI-908-37	SCI-909-37	SCI-910-37	SCI-911-37
38 mm	SCI-908-38	SCI-909-38	SCI-910-38	SCI-911-38
39 mm	SCI-908-39	SCI-909-39	SCI-910-39	SCI-911-39
40 mm	SCI-908-40	SCI-909-40	SCI-910-40	SCI-911-40
41 mm	SCI-908-41	SCI-909-41	SCI-910-41	SCI-911-41
42 mm	SCI-908-42	SCI-909-42	SCI-910-42	SCI-911-42
43 mm	SCI-908-43	SCI-909-43	SCI-910-43	SCI-911-43
44 mm	SCI-908-44	SCI-909-44	SCI-910-44	SCI-911-44
45 mm	SCI-908-45	SCI-909-45	SCI-910-45	SCI-911-45
46 mm	SCI-908-46	SCI-909-46	SCI-910-46	SCI-911-46
47 mm	SCI-908-47	SCI-909-47	SCI-910-47	SCI-911-47
48 mm	SCI-908-48	SCI-909-48	SCI-910-48	SCI-911-48
49 mm	SCI-908-49	SCI-909-49	SCI-910-49	SCI-911-49
50 mm	SCI-908-50	SCI-909-50	SCI-910-50	SCI-911-50
51 mm	SCI-908-51	SCI-909-51	SCI-910-51	SCI-911-51
52 mm	SCI-908-52	SCI-909-52	SCI-910-52	SCI-911-52
53 mm	SCI-908-53	SCI-909-53	SCI-910-53	SCI-911-53
54 mm	SCI-908-54	SCI-909-54	SCI-910-54	SCI-911-54
55 mm	SCI-908-55	SCI-909-55	SCI-910-55	SCI-911-55
56 mm	SCI-908-56	SCI-909-56	SCI-910-56	SCI-911-56
57 mm	SCI-908-57	SCI-909-57	SCI-910-57	SCI-911-57
58 mm	SCI-908-58	SCI-909-58	SCI-910-58	SCI-911-58



SCI - LS : 10

**Bi-Polar Prosthesis - Talwakar Type -
Hard Top Non Fenestrated**

Profile

Stem Length 150 mm
Angle 135°
Inner Ball Dia 26mm for 39 to 43mm
28mm for 45 to 53mm

Inner Material of Cup UHMWPE
Stainless Steel Grade 316L

Cat No.	Dia.
SCI-912-37	37 mm
SCI-912-38	38 mm
SCI-912-39	39 mm
SCI-912-40	40 mm
SCI-912-41	41 mm
SCI-912-42	42 mm
SCI-912-43	43 mm
SCI-912-44	44 mm
SCI-912-45	45 mm
SCI-912-46	46 mm
SCI-912-47	47 mm
SCI-912-48	48 mm
SCI-912-49	49 mm
SCI-912-50	50 mm
SCI-912-51	51 mm
SCI-912-52	52 mm
SCI-912-53	53 mm
SCI-912-54	54 mm
SCI-912-55	55 mm
SCI-912-56	56 mm
SCI-912-57	57 mm
SCI-912-58	58 mm



SCI - LS : 11

**Bi-Polar Prosthesis - Talwakar Type -
Hard Top Fenestrated**

Profile

Stem Length 150 mm
Angle 135°
Inner Ball Dia 26mm for 39 to 43mm
28mm for 45 to 53mm

Inner Material of Cup UHMWPE
Stainless Steel Grade 316L

Cat No.	Dia.
SCI-913-37	37 mm
SCI-913-38	38 mm
SCI-913-39	39 mm
SCI-913-40	40 mm
SCI-913-41	41 mm
SCI-913-42	42 mm
SCI-913-43	43 mm
SCI-913-44	44 mm
SCI-913-45	45 mm
SCI-913-46	46 mm
SCI-913-47	47 mm
SCI-913-48	48 mm
SCI-913-49	49 mm
SCI-913-50	50 mm
SCI-913-51	51 mm
SCI-913-52	52 mm
SCI-913-53	53 mm
SCI-913-54	54 mm
SCI-913-55	55 mm
SCI-913-56	56 mm
SCI-913-57	57 mm
SCI-913-58	58 mm